

VOLKSLIFT

Function

功能表

Standard function

标准功能

无呼自返基站功能 Automatic return to main floor	警铃 Alarm bell
设置厅、轿门时间 Separate car and hall call door times	光幕门保护装置 Light curtain
关门时间保护 Door closing overtime protection	误登陆取消 Cancel error log
开、关门按钮 Door open & close button	驻停 Parking operation
紧急消防操作 Emergency firemen operation	驱动设备过热保护 Motor temperature protection
轿内紧急照明 Emergency car light	消防信号反馈 Fire signal feedback
全集选控制 Full collective operation	防捣乱操作 Anti-nuisance function
厅和轿厢数字式位置指示器 Hall & car position indicator	轿厢到站钟 Car arrival chime
厅和轿厢呼梯/登记 Hall & car call register	自动开关门 Automatic open shut
厅及轿厢运行方向显示 Hall & car direction indicator	撞底缓冲装置 Buffer
监控室与机房、轿厢对讲 (不含机房到监控室连线) Intercom between security room and car / machine room	门区外不能开门 Non-open outside door zone
独立服务 Independent running	预转矩输出 Pre-torque output
满载不停梯 Load non stop	电网电压波动检测功能 Voltage wavy detection
超载不启动 (警示灯及蜂鸣器) Overload warning	接触器反馈检测功能 Contactor detection
运行次数显示功能 Trip counter	继电器检查保护 Relay detection
轿顶与控制柜紧急电动运行 Top of car inspection & machine room inspection	速度反馈检测功能 Speed detection
轿内通风手动及照明自动控制功能 Ventilation manual and lighting automatic control	故障低速自救功能 Self-rescue leveling running
故障自动检测功能 Faulty automatic detection	反向指令自动消除 Reverse cancelling

Standard function 标准功能

本层外召开门 Open the door outside this hall	安全回路保护 Safety circuit protection
外召按钮嵌入自诊断 Call conglutination judgment	限位保护 Limit switch protection
重复关门 Repetition of door closing	上下极限保护装置 Upper limit protection device
不停层设置 Stop layer settings	门连锁保护 Protection of door-lock disconnect when running
待梯层设定 Main floor settings	运行接触器保护 Running contactor protection
楼层显示字符的任意设定 Floor display any set of characters	抱闸检测保护 Brake detection
输入口干扰评价 Evaluation of input disturbance	手动松闸救援 Manual rescue
井道自学习 Shaft parameters self-tuning	端站换速及楼层号校正 Forced deceleration
逆向运行保护 Protection of reverse travel	手动选层 Select floor in the controler
防打滑保护 Anti-slip protection	机房开关门 Operating the door C/O in the controler

Optional function 选配功能

停电应急救援 Emergency rescue running	读卡器 IC card user management
有司机操作 Attendant operation	BA接口 (干接点) BA access
CCTV电缆 (轿厢到机房) CCTV cable (car to machine room)	小区监视盘 Supervisory panel
紧急备用电源操作装置 Emergency power operation	小区电脑监视 PC supervisory
消防员服务 (轿厢内) Firemen operation (in car)	提前开门 Running-open
开门再平层 Re-leveling when the door is open	群控管理运行 Group control adjustment operation
电梯远程监控 Tele-monitoring	液晶显示 LCD display
风扇自动控制 Automatically turning off fan	双开门电梯 Through-open car
语音报站 voice announcement	门保持按钮 Keep open function

VOLKSLIFT

Construction parameters

土建参数


VH-载货电梯

VH- Freight elevator




载重 kg	速度 m/s	轿厢尺寸mm Car size			开门尺寸mm Door opening size		井道尺寸mm Hoistway size				最大 层站 Maximum landing	最大提升 高度m Maximum lifting height	机房净高(吊 钩以下)mm Net height of machine room
		CW	CD	CH	OP	OPH	HW	HD	K	S			
1000 非贯通 Non-cut through type	0.5	1400	1600	2200	1300	2100	2500	2080	4300	1400	8	30	2600
	1										15	60	
1000 贯通 Cut through type	0.5	1400	1600	2200	1300	2100	2500	2080	4300	1400	8	30	2600
	1										15	60	
2000 非贯通 Non-cut through type	0.5	1700	2400	2200	1500	2100	2800	2880	4300	1400	8	30	2600
	1										15	60	
2000 贯通 Cut through type	0.5	1700	2400	2200	1500	2100	2800	2880	4300	1400	8	30	2600
	1										15	60	
3000 非贯通 Non-cut through type	0.5	2000	2800	2200	1700	2100	3250	3280	4500	1400	8	30	2600
	1										15	60	
3000 贯通 Cut through type	0.5	2000	2800	2200	1700	2100	3250	3280	4500	1400	8	30	2600
	1										15	60	
4000 非贯通 Non-cut through type	0.25	2000	3600	2200	2000	2100	3400	4080	4500	1400	4	15	2600
	0.5										8	30	
4000 贯通 Cut through type	0.25	2000	3600	2200	2000	2100	3400	4080	4500	1400	4	15	2600
	0.5										8	30	
5000 非贯通 Non-cut through type	0.25	2400	3600	2400	2200	2300	3750	4080	4700	1500	4	15	2600
	0.5										8	30	
5000 贯通 Cut through type	0.25	2400	3600	2400	2200	2300	3750	4080	4700	1500	4	15	2600
	0.5										8	30	


井道立面图
Shaft section plan



井道平面布置图(非贯通)
Shaft and car plan (not through)



井道平面布置图(贯通)
Shaft and car plan (open-through)




VOLKSLIFT

Construction parameters


土建参数

VHC-汽车梯
VHC- car elevator

井道平面布置图
Shaft and car plan




井道立面图
Shaft section plan




载重 kg Load	速度 m/s Speed	轿厢尺寸mm Car size			开门尺寸mm Door opening size			井道尺寸mm Hoistway size				机房尺寸mm Machine room size
		CW	CD	CH	OP	OPH	HW	HD	K	S	4600*6130*2600	
3200	0.5	2800	5650	2200	2800	2200	4600	6130	4500	1400	4600*6130*2600	

VW-杂物梯
VW- dumbwaiter elevator

井道平面布置图
Shaft and car plan



井道立面图
Shaft section plan



载重 kg Load	速度 m/s Speed	轿厢尺寸mm Car size			开门尺寸mm Door opening size		井道尺寸mm Hoistway size				机房尺寸mm Machine room size	
		CW	CD	CH	OP	OPH	HW	HD	K(有机房)	K(无机房)	S	
100	0.4	750	750	1000	700	1000	1200	900	3600	4800	750	2000*2000*1800
200	0.4	1000	1000	1200	950	1200	1450	1150	3000	4200	1000	